

Website:- chemicalbull.com

# MATERIAL SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 4-Methylanisole

CAS-No. : 104-93-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : ChemicalBull Pvt Ltd

123/124, Panchratna, G.I.D.C Char Rasta, Vapi-396195 Dist, Valsad, Gujarat, INDIA **Website:** chemicalbull.com **Email:** info@chemicalbull.com

1.4 Emergency telephone

Emergency Phone # : +91 9696960250

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# **Classification according to Regulation**

Flammable liquids ,Acute toxicity, Oral Skin irritation ,Reproductive toxicity Long-term (chronic) aquatic hazard

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

**Labelling according Regulation** 

Pictogram



Signal word Warning

Hazard statement(s)

H226 Flammable liquid and vapor.

H302 Harmful if swallowed. H315 Causes skin irritation.

H361 Suspected of damaging fertility or the unborn child. H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P273 Avoid release to the environment.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal word Warning

Hazard statement(s)

H361 Suspected of damaging fertility or the unborn child. H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

none

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

2.3

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula :  $C_8H_{10}O$ Molecular weight : 122,16 g/mol CAS-No. : 104-93-8

| Component | Classification | Concentration |
|-----------|----------------|---------------|
|-----------|----------------|---------------|

| 4-methylanisole |          |  |   |
|-----------------|----------|--|---|
| CAS-No.         | 104-93-8 | Flam. Liq. 3; Acute Tox. 4; <= 100 % Skin Irrit. 2; Repr. 2; Aquatic Chronic 3; H226, H302, H315, H361, H412 | Ö |

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

Consult a physician. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

# **5.3** Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of

vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

# Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

# **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage conditions**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# Storage class

Storage class (TRGS 510): 3: Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

**Ingredients with workplace control parameters** 

# 8.2 Exposure controls

# **Personal protective equipment**

# **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards.

# **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation and the standard derived from it.

Full contact

Material: Fluorinated rubber Minimum layer thickness: 0,7 mm Break through time: 480 min

Material tested:Vitoject® (KCL 890 / Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 35 min

Material tested:Camatril® (KCL 730 / Size M)

If used in solution, or mixed with other substances, and under conditions which differ from, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards.

#### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Color: colorless

b) Odorc) Odor Thresholdd) pHNo data availableNo data available

e) Melting Melting point/range: -31,99 °C point/freezing point

f)

Initial boiling point 174 °C - lit. and boiling range

g) Flash point 59 °C - closed cup h) Evaporation rate No data available No data available i)

Flammability (solid, gas)

Upper/lower No data available flammability or explosive limits

k) Vapor pressure 7,00 hPa at 50 °C Vapor density No data available

m) Density 0,969 g/cm3 at 25 °C - lit.

Relative density 0,97 at 20 °C

n) Water solubility 0,559 g/l at 20 °C

o) Partition coefficient: log Pow: 2,81 n-octanol/water

490 °C p) Autoignition temperature at 1.013 hPa

q) Decomposition No data available temperature

r) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

No data available s) Explosive properties Oxidizing properties No data available

#### 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, flames and sparks.

# 10.5 Incompatible materials

Strong oxidizing agents

#### **Hazardous decomposition products** 10.6

In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 1.920 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - > 6,1 mg/l

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male and female - > 4.850 mg/kg

(OECD Test Guideline 402)

# Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

## Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

Test Type: in vitro test Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)

Result: negative

Test Type: in vivo assay

Species: Mouse

Application Route: Gavage

Method: Mutagenicity (micronucleus test)

Result: negative

Carcinogenicity

No data available

#### **Reproductive toxicity**

Suspected human reproductive toxicant

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# Aspiration hazard

No data available

#### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish static test LC50 - Leuciscus idus (Golden orfe) - 68,2 mg/l - 96 h

Toxicity to daphnia and other aquatic

semi-static test EC50 - Daphnia magna (Water flea) - 27 mg/l - 48 h

(OECD Test Guideline 202)

invertebrates

# 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 30 - 40 % - Not readily biodegradable.

(OECD Test Guideline 301F)

#### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Harmful to aquatic life with long lasting effects.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

# **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

#### **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 1993 IMDG: 1993 IATA: 1993

#### 14.2 UN proper shipping name

ADR/RID: FLAMMABLE LIQUID, N.O.S. (4-methylanisole)
IMDG: FLAMMABLE LIQUID, N.O.S. (4-methylanisole)
IATA: Flammable liquid, n.o.s. (4-methylanisole)

# 14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

# 14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

#### 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

# 14.6 Special precautions for user

No data available

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation.

#### **National legislation**

Seveso III: Directive of the European Parliament : FLAMMABLE LIQUIDS and of the Council on the control of majoraccident hazards involving dangerous substances.

# **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

## Full text of H-Statements referred to under sections 2 and 3.

| H226 | Flammable liquid and vapor.                          |
|------|--|
| H302 | Harmful if swallowed.                                |
| H315 | Causes skin irritation.                              |
| H361 | Suspected of damaging fertility or the unborn child. |
| H412 | Harmful to aquatic life with long lasting effects.   |

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. ChemicalBull Pvt Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

See chemicalbull.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact <a href="mailto:info@chemicalbull.com">info@chemicalbull.com</a>