

Website:- chemicalbull.com

## **MATERIAL SAFETY DATA SHEET**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1Product identifiers<br/>Product name: Butylated hydroxyanisoleCAS-No.: 25013-16-5

## **1.2** Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

## **1.3** Details of the supplier of the safety data sheet

Company : ChemicalBull Pvt Ltd 123/124, Panchratna, G.I.D.C Char Rasta,Vapi-396195 Dist, Valsad, Gujarat, INDIA Website:- chemicalbull.com

Email:- info@chemicalbull.com

## **1.4 Emergency telephone**

Emergency Phone # : +91 9696960250

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## **Classification according to Regulation**

Acute toxicity, Oral Long-term (chronic) aquatic hazard

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

## Labelling according Regulation

Pictogram



Signal word

Warning

Hazard statement(s) H302 H411	Harmful if swallowed. Toxic to aquatic life with long lasting effects.	
Precautionary statement(s)		
P264	Wash skin thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P273	Avoid release to the environment.	
P301 + P312	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel	
	unwell.	
P391	Collect spillage.	
P501	Dispose of contents/ container to an approved waste disposal	
	plant.	
Supplemental Hazard Statements	none	
Reduced Labeling (<= 125 ml)		
Pictogram		

Signal word	Warning
Hazard statement(s)	none
Precautionary statement(s)	none
Supplemental Hazard Statements	none

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3:** Composition/information on ingredients

#### 3.1 Substances

Synonyms	: 2(3)-t-Butyl-4-hydrox 2(3)-t-Butylhydroqui BHA	xyanisole inone monomethyl ether	
Formula Molecular weight CAS-No.	:C <sub>11</sub> H <sub>16</sub> O <sub>2</sub> :180,24 g/mol :25013-16-5		
Component		Classification	(
Butylmethoxyphenol			
CAS-No.	25013-16-5	Acute Tox. 4; Aquatic Chronic 2; H302, H411	

Concentration

<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

## If inhaled

After inhalation: fresh air.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

## If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

**Suitable extinguishing media** Water Foam Carbon dioxide (CO2) Dry powder

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

## 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

## 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4 Reference to other sections** For disposal see section 13.

## **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry. Tightly closed. Dry.

**Storage class** Storage class (TRGS 510): 11: Combustible Solids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

## Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards. Safety glasses

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated.

Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

#### **Body Protection**

protective clothing

## **Respiratory protection**

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: solid Color: white
b)	Odor	weakly aromatic
c)	Odor Threshold	No data available
d)	рН	ca.4,8 at 10 g/l at 25 °C
e)	Melting point/freezing point	Melting point/range: 58 - 60 °C - lit.
f)	Initial boiling point and boiling range	> 240 °C at ca.1.013 hPa - OECD Test Guideline 103
g)	Flash point	116,6 °C - Pensky-Martens closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	ca.0,69 g/cm3 at ca.28 °C

Polativo doncity No data available

	Relative density	No data available
n)	Water solubility	0,61 g/l at 29 °C - partly soluble
0)	Partition coefficient: n-octanol/water	log Pow: 2,8 at 27 °C - Bioaccumulation is not expected., (ECHA)
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none
Other safety information		
	Solubility in other	Alcohol at 20 °C

## 9.2

solvents - soluble

## **SECTION 10: Stability and reactivity**

## **10.1 Reactivity**

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

## **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature).

- **10.3** Possibility of hazardous reactions No data available
- 10.4 Conditions to avoid Strong heating.

#### **10.5** Incompatible materials Strong oxidizing agentsStrong acids, Strong bases

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11:** Toxicological information

## 11.1 Information on toxicological effects

## Acute toxicity

LD50 Oral - Mouse - 1.100 mg/kg Inhalation: No data available

LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

## Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation No data available

#### Respiratory or skin sensitization

Patch test: - Human Result: negative Remarks: (Test in mixture)

## Germ cell mutagenicity

No data available Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA)

Test Type: Mutagenicity (mammal cell test): micronucleus. Species: Rat

Result: negative Remarks: (National Toxicology Program)

#### **Carcinogenicity** No data available

**Reproductive toxicity** No data available

**Specific target organ toxicity - single exposure** No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

## **11.2 Additional Information**

RTECS: SL1945000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12: Ecological information**

#### **12.1 Toxicity**

Toxicity to fish	static test LC50 - Danio rerio (zebra fish) - 1,56 mg/l - 96 h (OECD Test Guideline 203)	
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Dreissena polymorpha (zebra mussel) - 3,4 mg/l - 48 h Remarks: (ECHA)	
	EC50 - Daphnia - 2,3 mg/l - 48 h (OECD Test Guideline 202)	
Toxicity to algae	static test ErC50 - Chlorella vulgaris (Fresh water algae) - 9,05 mg/l - 72 h (OECD Test Guideline 201)	

## 12.2 Persistence and degradability

Biodegradability Result: 34,41 % - Not readily biodegradable. (OECD Test Guideline 301D)

## 12.3 Bioaccumulative potential

No data available

#### **12.4 Mobility in soil** No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Discharge into the environment must be avoided.

## **SECTION 13: Disposal considerations**

## **13.1 Waste treatment methods**

#### Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## **SECTION 14: Transport information**

**14.1 UN number** ADR/RID: 3077

IMDG: 3077

IATA: 3077

#### 14.2 UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

	IMDG: IATA:	(Butylmethoxypher	Y HAZARDOUS SUBSTANCE, SC	
14.3	<b>Transpor</b> ADR/RID:	<b>t hazard class(es)</b> 9	IMDG: 9	IATA: 9
14.4	Packagin ADR/RID:		IMDG: III	IATA: III
14.5	<b>Environm</b> ADR/RID:	<b>lental hazards</b> yes	IMDG Marine pollutant: yes	IATA: yes

## **14.6 Special precautions for user**

## **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

## **SECTION 15: Regulatory information**

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation.

## National legislation

Seveso III: Directive of the European Parliament : ENVIRONMENTAL HAZARDS and of the Council on the control of majoraccident hazards involving dangerous substances.

## Other regulations

Observe work restrictions regarding maternity protection in accordance to or stricter national regulations where applicable.

## **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H411	Toxic to aquatic life with long lasting effects.

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. ChemicalBull Pvt Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

See chemicalbull.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact info@chemicalbull.com